





LED


LUMINAIRES

OUTDOOR LIFE + RECREATION



ROOMLUX®
my light. my choice

v.01 2023





ABOUT US

Early since 1990's, Roomlux has engaged in the lighting industry. Starting from traditional incandescent bulb, halogen lamp, fluorescent tube, etc., it has been keeping close pace with development of science and new technology.

Through almost 30 years dedication, Roomlux has built up professional teams and established long term strategy partnership with its carefully selected supply chain plants, most of which are front runners in specific category of products.

In year 2010, Roomlux invested and set up new R&D center and manufacturing base, with land area of 33,300sqm and floor area of 22,000sqm, focusing on research and development and aiming at providing the best LED lighting products.

Roomlux is now serving clients from more than 85 countries and supplying thousands of products covering residential, commercial, industrial and solar lighting, from normal electric bulbs to up-to-date high-tech lighting system.

Abiding by the philosophy of 'Customer First, Pursuit of Perfection', Roomlux has become a reputable name for its wide and comprehensive products collection, superior quality, competitive price and reliable service.

To bring brightness and happiness to every corner of the world, Roomlux shall devote itself to this will and would like to invite clients to join hands with us, to achieve glory and success together.



Sales office



Research and Development



Exhibition



Exhibition



Workshop



Workshop



Test



Test

ROOMLUX® Outdoor & Industrial
my light. my choice



WORKLIGHT



PORTABLE · TRI-POD

ROOMLUX® work lights have been specially developed to cope with the grueling demands of daily off road use and, due to the materials used, meet the higher expectations for resistance to dirt and moisture in an exceptional manner. The typical **ROOMLUX®** high quality and craftsmanship ensures functionality and longevity at the highest professional level.



Worklight PORTABLE



B43333 - RECHARGEABLE

	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	LxWxH
3W	ABS	150Lm	18650 3.7V 900mAH	2.5Hrs	4Hrs	100%-50%-OFF	120°	3000/4000/6500K	210x61x32mm

3W COB LED

On/Off Switch

Adjustable Bracket



+ 3xAAA



B43334 + 3xAAA

	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	LxWxH
3W	ABS	250Lm	3xAAA	/	2-4Hrs	100%-50%-OFF	120°	3000/4000/6500K	210x61x32mm

Worklight PORTABLE




B43348



8+3W	ABS	450+70Lm	18650 3.7V 2000mAh	4Hrs	3-8Hrs	Dim. Front-Top-OFF	120°	3000/4000/6500K	34x38x410mm
------	-----	----------	--------------------	------	--------	--------------------	------	-----------------	-------------

Worklight PORTABLE



B43330



IP20

Ra>80

25,000H



MATERIAL



LUMENS



BATTERY



CHARGING



RUNNING TIME



LIGHTING MODE



BEAM



CCT



LxWxH

5W

Alu.+ABS

600Lm

18650 3.7V 2000mAh

5Hrs

2.5-5Hrs

100%-50%-OFF

120°

3000/4000/6500K

340x60x60mm



Magnet



IP20

Ra>80

25,000H

B43331



MATERIAL



LUMENS



BATTERY



CHARGING



RUNNING TIME



LIGHTING MODE



BEAM



CCT



LxWxH

3+1W

ABS

250Lm

18650 3.7V 1200mAh

5Hrs

3-6Hrs


100%-50%-OFF

120°

3000/4000/6500K

225x60x48mm

Worklight PORTABLE



Multi-functional Portable Work Lamp

- Durable ABS body
- 3 in 1 CCT color change 3000K-4000K-6000K.



**Battery Indicator
& Switch**



Strong Magnets



**Multi-angle
Adjustment**

B43350



IP54



Ra>80



25,000H



MATERIAL



LUMENS



BATTERY



CHARGING



RUNNING TIME



LIGHTING MODE



CCT




LxWxH

5+3W	ABS	500+50Lm	18650 3.7V 2400mAH	3Hrs	2-8Hrs	3000K-6000K-4000K-Top	3000/4000/6500K	165x46x37mm
------	-----	----------	--------------------	------	--------	-----------------------	-----------------	-------------

ROOMLUX®

Outdoor & Industrial
my light. my choice


Worklight PORTABLE



B43341

IP54 Ra>80 25,000H

MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	CCT	LxWxH
3+3W ABS	350+80Lm	18650 3.7V 1200mAH	3Hrs	4-7Hrs	30%-100%-Top-OFF	3000/4000/6500K	31x42x154mm



B43352

IP54 Ra>80 25,000H

MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	CCT	LxWxH
10W PA+PC+TPR	1000Lm	18650 3.7V 2200mAH	2Hrs	2-3Hrs	100%-50%-Flash-Off	3000/4000/6500K	320x65x60mm



Worklight PORTABLE



Waterproof
USB Port



3W Top Light



5W COB



Battery
Indicator



Hook



180° Stand



Color Option



B43343



IP33



Ra>80



25,000H



MATERIAL



LUMENS



BATTERY



CHARGING



RUNNING TIME



LIGHTING MODE



BEAM



CCT



LxWxH

5+3W

ABS+RUBBER

400+80Lm

18650 3.7V 2000mAh

4Hrs

7Hrs

30%-100%/Top-OFF

120°


3000/4000/6500K

52x34x165mm

ROOMLUX®

Outdoor & Industrial
my light. my choice

Worklight PORTABLE



PERFECT COMBINATION OF SPOTLIGHT AND FLOODLIGHT

Spotlight Mode



Floodlight Mode



IPX4 WATER RESISTANT

The IPX4 water resistance rating means it's protected against splashing water from all angles.



B43349



IP54



Ra>80



25,000H



MATERIAL



LUMENS



BATTERY



CHARGING



RUNNING TIME



LIGHTING MODE



BEAM



CCT



LxWxH

3+1W

ABS

200+60Lm

18650 3.7V 1200mAh

2.5Hrs

2.5-3.5Hrs

100%-50%-Top-OFF

120°

3000/4000/6500K

155x40x25mm

Worklight PORTABLE



MATERIAL



LUMENS



BATTERY



CHARGING



RUNNING TIME



MODE



BEAM



CCT



LxWxH

1 B43337

5W	ABS	300Lm	18650 3.7V 4400mAh	3Hrs	3Hrs	5W COB-3W LED OFF	120°	3000/4000/6500K	70x40x260mm
----	-----	-------	--------------------	------	------	-------------------	------	-----------------	-------------

2 B43338

3W	ABS	200Lm	18650 3.7V 2000mAh	2-3Hrs	5Hrs	3W LED-3WCOB-16Red LEDs SOS-OFF	120°	3000/4000/6500K	88x45x215mm
3W	ABS	200Lm	Dry-Battery 3xAA	/	5Hrs		120°	3000/4000/6500K	88x45x215mm



Rechargeable



With magnet on the base for hands-free operation



Worklight

PORTABLE












B43342

IP54

Ra>80

25,000H

									
MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	ØxH	
3x3W	ABS	400Lm	18650 3.7V 2200mAh	5Hrs	2Hrs	Top-100%-50%-OFF	360°	3000/4000/6500K	70x268mm

Worklight PORTABLE




B43336




	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	MODE	BEAM	CCT	LxWxH
20W	ABS	2000lm	18650 3.7V 4400mAh	3Hrs	3-5Hrs	100%-50%-OFF	120°	3000/4000/6500K	150x144x363mm
20W	ABS	2000lm	18650 3.7V 4400mAh	3Hrs	3-5Hrs	100%-50%-OFF	120°	3000/4000/6500K	150x144x363mm

Worklight PORTABLE



Waterproof Power Bank



3-IN-1 CCT CHANGE

Just click on the switch you can choose the most-desired color that fits in your place best.



2 x Magnets

Fix on Tripod

B43353 - CCT CHANGE



IP54

25,000H

	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	Ra	LxWxH
20W	PA+PC+TPR	2000Lm	4000mAh	4Hrs	2-3Hrs	4000K-6000K-3000K	>80	165x120x32mm



B43358 - SINGLE COLOR



IP54

Ra>80


25,000H

	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	LxWxH
10W	PA+PC+TPR	1000Lm	4000mAh	4Hrs	3.5Hrs	100%-50%-Flash-OFF	165x120x32mm

Worklight PORTABLE



IDEAL FOR CAMPING AND WORKING



PORTABLE DESIGN
Compact Size, Adapt to Various Environment and Make Your Life More Convenient



ADJUSTABLE BRACKET
180° Adjustable Work Light Stand
Easy to Place in Various Places



B43362



IP20



Ra>80



25,000H



MATERIAL



LUMENS



BATTERY



CHARGING



RUNNING TIME



LIGHTING MODE



BEAM



CCT



LxWxH

8+3W

ABS

450Lm

18650 3.7V 1200mAh

2-3Hrs

1-3Hrs

High-Med-Strobe

120°

3000/4000/6500K

110x105x35mm


Worklight PORTABLE



B43354 - RECHARGEABLE



	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	LxWxH
10W	ABS+Alu.	1100Lm	18650 2x3.7V 2200mAh	6.5Hrs	3.5Hrs	High-Middle-Low-Off	120°	3000/4000/6500K	145x145x40mm



B43356 - RECHARGEABLE



	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	LxWxH
20W	ABS+Alu.	2000Lm	18650 33.7V 1500mAh	7Hrs	2-8Hrs	High-Middle-Low-Off	120°	3000/4000/6500K	174x131x45mm

Worklight PORTABLE



Multi-functional Portable Work Lamp

- ABS+TPR body
- Color temperature (in Kelvin) available in 3000K/4000K/6000K.
- Beam Angle 120°.
- Compact Size, Pocket Design.



B43305 - BLUETOOTH SPEAKER FOR OPTION



	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	LxWxH
10W	ABS+TPR	700Lm	18650 3.7V 2x2000mAH	3.5Hrs	2-4Hrs	LED ON-COB ON-FLASH-OFF	120°	148x91x40mm
10W	ABS+TPR	700Lm	18650 3.7V 2x2000mAH	3.5Hrs	2-4Hrs	LED ON-COB ON-OFF	120°	148x91x40mm



B43306 - DRY BATTERY




	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	LxWxH
10W	ABS+TPR	700Lm	4xAA	3.5Hrs	2-4Hrs	LED ON-COB ON-OFF	148x91x40mm

Worklight PORTABLE



Multi-funtional LED Work Light



B43308



IP65

Ra>80

25,000H



MATERIAL



LUMENS



BATTERY



CHARGING



RUNNING TIME



LIGHTING MODE



BEAM



CCT



LxWxH


	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	LxWxH
10W	ABS+TPR	1000Lm	18650 3.7V 2x1200mAH	5Hrs	4Hrs	100%-50%-OFF	120°	3000/4000/6500K	172x126x48mm
20W	Alu.+ABS	2000Lm	18650 3.7V 3x2000mAH	5Hrs	4Hrs	100%-50%-OFF	120°	3000/4000/6500K	172x126x48mm

Power Bank


USB Charging

On/Off

Water Proof
Rubber Ring, IP65



Worklight PORTABLE



1



2



USB Charging & Power Bank



Pocket Work lamp Compact Design

Light source: 10W ultra bright led
Materials: ABS+TPR
Beam angle: 120°
Waterproof grade: IP54



IP54



Ra>80



25,000H



MATERIAL



LUMENS



BATTERY



CHARGING



RUNNING TIME



LIGHTING MODE



BEAM



CCT



LxWxH

1 B43303 - ROUND COB

10W	ABS+TPR	1000Lm	18650 3.7V 4400mAh	5Hrs	3-5Hrs	100%-50%-SOS -FLASH-OFF	120°	3000/4000/6500K	170x127x42mm
-----	---------	--------	--------------------	------	--------	----------------------------	------	-----------------	--------------










2 B43304 - ANGULAR COB

10W	ABS+TPR	1000Lm	18650 3.7V 4400mAh	5Hrs	3-5Hrs	100%-50%-SOS -FLASH-OFF	120°	3000/4000/6500K	170x127x42mm
-----	---------	--------	--------------------	------	--------	----------------------------	------	-----------------	--------------

Worklight PORTABLE










B43309 - RECHARGEABLE

									
10W	ABS+TPR	1000Lm	18650 3.7V 5000mAh	5Hrs	4Hrs	100%-50%-OFF	120°	3000/4000/6500K	172x150x50mm



B43310 - DRY BATTERY

							
10W	ABS+TPR	1000Lm	6xAA	/	4Hrs	100%-50%-OFF	172x150x50mm

Worklight PORTABLE

2x10W
Power

ABS+TPR
Material



USB Charging /
Power Bank



5 Step Dimming,
Initial at 50%
(10%/25%/50%/
75%/100%)



4 Super Strong
Magnets

B43312 - RECHARGEABLE

IP54

Ra>80

25,000H



MATERIAL



LUMENS



BATTERY



CHARGING



RUNNING TIME



LIGHTING MODE



BEAM



CCT



LxWxH

20W

ABS+TPR

2300Lm

Polymer Li-ion 5000mAh

5Hrs

3.5-15Hrs


100%-50%-OFF

120°

3000/4000/6500K

129x170x51mm

Worklight PORTABLE



B43318




	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	MODE	BEAM	CCT	LxWxH
20W	ABS	1500Lm	18650 3.7V 4400mAh	3Hrs	With Fan 1-3Hrs Without Fan 2.5-5Hrs	100%-50%-OFF 100%-50%-OFF	120°	3000/4000/6500K	202x346x144mm

Worklight PORTABLE

Colors for Option



- On/Off Switch
- Power Bank
- Power Indicator
- Input



ABS+TPR
Material

Logo

Metal



B43311
COB



B43312
SMD

B43311 - COB LED

B43312 - SMD LED



IP54



Ra>80



25,000H



MATERIAL



LUMENS



BATTERY



CHARGING



RUNNING TIME



LIGHTING MODE



BEAM



CCT



LxW

	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	LxW
10W	ABS+TPR	800Lm	18650 3.7V 2200mAH	3Hrs	3Hrs	100%-50%-SOS-FLASH-OFF	120°	3000/4000/6500K	180x215mm
20W	ABS+TPR	1650Lm	18650 3.7V 4400mAH	5Hrs	4Hrs	100%-50%-SOS-FLASH-OFF	120°	3000/4000/6500K	230x243mm

Worklight PORTABLE

A Variety of Uses

Ideal for the property, work shed, attic, basement, garage, for construction, painters or home decorators



Heavy Duty



Creative design


Back-lock tightening lens
More beautiful appearance
Good waterproof performance

B43357

IP54 Ra>80 25,000H

	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	LxWxH
30W	Aluminum	840Lm	21700 3.7V 5000mAH	4Hrs	4-24Hrs	25%-50%-100%-SOS	90°	3000/4000/6500K	178x197x29mm
50W	Aluminum	1440Lm	21700 3.7V 10000mAH	4Hrs	4-24Hrs	25%-50%-100%-SOS	90°	3000/4000/6500K	205x228x29mm
100W	Aluminum	2160Lm	21700 3.7V 15000mAH	4Hrs	4-24Hrs	25%-50%-100%-SOS	90°	3000/4000/6500K	253x284x31mm

Worklight PORTABLE



- 30W Rechargeable Worklight
- Detachable Battery Box. 3W Flashlight for Emergency
- Application in Construction, Repairing, Camping, Fishing etc.



**100-265V
Adaptor**

B43326



IP44



Ra>80



25,000H

MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	LxWxH
30W Alu. +PC	3000Lm	18650 14.8V 2200mAH	2.5Hrs	2.5-10Hrs	100%-50%-25%-SOS	120°	3000/4000/6500K	180x225x98mm

Worklight PORTABLE



For Option
Music Speaker

Bluetooth®

IK10



2M H07RN-F
3x1.5mm Cable



B43327



	VOLT	LUMENS	BEAM	DRIVER	CCT	PF	FINISH	LxWxH	LIFE
20W	120/230V	1900Lm	120°	Linear	3000/4000/6500K	0.9	Black/Grey	175x220x70mm	25,000H
30W	120/230V	3200Lm	120°	Linear	3000/4000/6500K	0.9	Black/Grey	215x272x72mm	25,000H
50W	120/230V	5200Lm	120°	Linear	3000/4000/6500K	0.9	Black/Grey	250x320x72mm	25,000H

Worklight PORTABLE



B43321 - AC100-265 INPUT

IP65 A+ Ra>80

	VOLT	LUMENS	BEAM	DRIVER	CCT	PF	FINISH	LxWxH	LIFE
20W	120/230V	1800Lm	120°	Linear	3000/4000/6500K	0.9	Black+Red	240x200x80mm	25,000H
30W	120/230V	2500Lm	120°	Linear	3000/4000/6500K	0.9	Black+Red	240x200x80mm	25,000H



B43322 - RECHARGEABLE

IP54 Ra>80 25,000H

	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	LxWxH
20W	Alu.	1800Lm	18650 11.1V 4400mAH	5Hrs	2.5-5Hrs	100%-50%-OFF	120°	3000/4000/6500K	240x200x80mm
30W	Alu.	2500Lm	18650 11.1V 5200mAH	5Hrs	2.5-4Hrs	100%-50%-OFF	120°	3000/4000/6500K	240x200x80mm

Worklight PORTABLE

Aluminum Body

High Brightness LED

Portable Work Light
With VDE Plug

1.5M Cable Length
H05RNF3X1.0mm²

Color Option



- Die-casting aluminium body, tempered glass
- Color temperature (in Kelvin) available 2700K, 3000K, 3500K, 4200K, 5000K, 6500K
- Color rendering index (Ra) Ra ≥ 80

RoHS CE



B43301



IP65



A+



Ra > 80




VOLT



LUMENS



BEAM



DRIVER



CCT



PF



FINISH



LxWxH



LIFE

	VOLT	LUMENS	BEAM	DRIVER	CCT	PF	FINISH	LxWxH	LIFE
30W	120/230V	3000Lm	120°	Linear	3000/4000/6500K	0.9	Orange/Blue/Red/Yellow	180x165x160mm	25,000H
50W	120/230V	5000Lm	120°	Linear	3000/4000/6500K	0.9	Orange/Blue/Red/Yellow	210x190x180mm	25,000H

Worklight PORTABLE



"S" - B43781



"H" - B43782



"F" - B43783



IP65



A+



Ra>80



EARTH




VOLT



LUMENS



BEAM



DRIVER



CCT



PF



FINISH



LxWxH



LIFE

1 B43781 - "S" TYPE

10W	85-265V	800Lm	120°	Non-isolated/Isolated	3000/4000/6500K	0.9	White/Black	124x96x37mm	25,000H
20W	85-265V	1600Lm	120°	Non-isolated/Isolated	3000/4000/6500K	0.9	White/Black	152x116.5x38mm	25,000H
30W	85-265V	2400Lm	120°	Non-isolated/Isolated	3000/4000/6500K	0.9	White/Black	185x139x44mm	25,000H
50W	85-265V	4000Lm	120°	Non-isolated/Isolated	3000/4000/6500K	0.9	White/Black	232x175x47.5mm	25,000H

2 B43782 - "H" TYPE

10W	85-265V	800Lm	120°	Non-isolated/Isolated	3000/4000/6500K	0.9	White/Black	124x96x37mm	25,000H
20W	85-265V	1600Lm	120°	Non-isolated/Isolated	3000/4000/6500K	0.9	White/Black	152x116.5x38mm	25,000H
30W	85-265V	2400Lm	120°	Non-isolated/Isolated	3000/4000/6500K	0.9	White/Black	185x139x44mm	25,000H
50W	85-265V	4000Lm	120°	Non-isolated/Isolated	3000/4000/6500K	0.9	White/Black	232x175x47.5mm	25,000H

3 B43783 - "F" TYPE

10W	85-265V	800Lm	120°	Non-isolated/Isolated	3000/4000/6500K	0.9	White/Black	124x96x37mm	25,000H
20W	85-265V	1600Lm	120°	Non-isolated/Isolated	3000/4000/6500K	0.9	White/Black	152x116.5x38mm	25,000H
30W	85-265V	2400Lm	120°	Non-isolated/Isolated	3000/4000/6500K	0.9	White/Black	185x139x44mm	25,000H
50W	85-265V	4000Lm	120°	Non-isolated/Isolated	3000/4000/6500K	0.9	White/Black	232x175x47.5mm	25,000H

Worklight TRI-POD

2x10W

Integrated Worklight



Omni Light
360°



Stand



Magnets



Hook



Tripod Fixture
for Option



FEATURES

- ✓ Double COB light(Controllable)
- ✓ Multi-uses(Magnetio/hookable/tripod)
- ✓ Lithium battery powered(chargeable)
- ✓ 360 degree rotation

B43339



IP54



Ra>80



25,000H



MATERIAL



LUMENS



BATTERY



CHARGING



RUNNING TIME



LIGHTING MODE



BEAM



CCT



ØxH

2x10W	ABS	1000Lm	18650 3.7V 2x2000mAh	4-5Hrs	4-5Hrs	One Side-Two Side-OFF	360°	3000/4000/6500K	65x650mm
-------	-----	--------	----------------------	--------	--------	-----------------------	------	-----------------	----------

Worklight TRI-POD



B43340



MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	ØxH
2x10W ABS	1000Lm	18650 3.7V 2x2000mAH	4-5Hrs	4-5Hrs	100%-50%-OFF	360°	3000/4000/6500K	65x650mm

Worklight TRI-POD




- Super bright SMD LEDs
- Impact-resistant PC lens glare free
- Lighting mode: 100%-50%-RED SOS-OFF

Rechargeable
Multi-functional Work Light



Power Switch

On/Off Switch



B43316

IP54

Ra>80



25,000H

	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	WxH
6W	ABS+PC+Alu.	600Lm	18650 7.4V 2200mAH	4.5Hrs	2-4Hrs	100%-50%-RED SOS-OFF	120°	3000/4000/6500K	130x400mm
12W	ABS+PC+Alu.	1000Lm	18650 7.4V 4400mAH	4.5Hrs	4-6Hrs	100%-50%-RED SOS-OFF	120°	3000/4000/6500K	130x500mm
18W	ABS+PC+Alu.	2000Lm	18650 7.4V 6600mAH	4.5Hrs	4-6Hrs	100%-50%-RED SOS-OFF	120°	3000/4000/6500K	130x830mm

Worklight TRI-POD



Rechargeable Multi-functional Work Light



B43320 - RECHARGEABLE

 B43792 - AC INPUT



IP54












A+



Ra>80



25,000H

									
	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	WxH
18W	PC+Alu.	2000Lm	18650 7.4V 6600mAH	5-8Hrs	4-9Hrs	100%-OFF	360°	3000/4000/6500K	180x980mm
24W	PC+Alu.	2800Lm	18650 7.4V 10000mAH	4-8Hrs	4-8Hrs	100%-OFF	360°	3000/4000/6500K	180x1880mm
36W	PC+Alu.	5000Lm	18650 14.8V 11000mAH	4-8Hrs	4-8Hrs	100%-OFF	360°	3000/4000/6500K	180x1450mm
25W	PC+Alu.	1500Lm	AC100-265V	/	/	/	360°	3000/4000/6500K	180x980mm
35W	PC+Alu.	2800Lm	AC100-265V	/	/	/	360°	3000/4000/6500K	180x1880mm
88W	PC+Alu.	5500Lm	AC100-265V	/	/	/	360°	3000/4000/6500K	180x1450mm

Worklight TRI-POD



1 B43323 - AC100-265 INPUT

IP65 A+ Ra>80

	VOLT	LUMENS	BEAM	DRIVER	CCT	PF	FINISH	HEIGHT	LxWxH	LIFE
20W	120/230V	1800Lm	120°	Linear	3000/4000/6500K	0.9	Black+Red	1.5m	240x200x80mm	25,000H
30W	120/230V	2500Lm	120°	Linear	3000/4000/6500K	0.9	Black+Red	1.5m	240x200x80mm	25,000H

2 B43324 - RECHARGEABLE

IP54 Ra>80 25,000H

	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	HEIGHT	LxWxH
20W	Alu.	1800Lm	18650 11.1V 4400mAH	5Hrs	2.5-5Hrs	100%-50%-OFF	120°	3000/4000/6500K	1.5m	240x200x80mm
30W	Alu.	2500Lm	18650 11.1V 5200mAH	5Hrs	2.5-4Hrs	100%-50%-OFF	120°	3000/4000/6500K	1.5m	240x200x80mm

Worklight TRI-POD



USB Cable



1 B43315 - SINGLE

2 B43325 - DOUBLE













IP54



Ra>80



25,000H

										
	MATERIAL	LUMENS	BATTERY	CHARGING	RUNNING TIME	LIGHTING MODE	BEAM	CCT	HEIGHT	LxWxH
30W	Plastic+Alu.	2600Lm	18650 7.4V 8000mAH	4.5Hrs	3-7Hrs	100%-50%-OFF	120°	3000/4000/6500K	1.5m	205x190x165mm
50W	Plastic+Alu.	4500Lm	18650 7.4V 12000mAH	4.5Hrs	3-7Hrs	100%-50%-OFF	120°	3000/4000/6500K	1.5m	255x190x210mm

Worklight TRI-POD



- » Portable and Flexibility - Stading tripod and easy to install and mounted, hang in anywhere as you like
- » Adjustable Tilt-Up to 90° down and 90° up. Position the light exactly where you need it
- » Efficient Heat Dissipation And Long Life Span- The back ribs design to ensure heat dissipation and long life of the internal circuit.



Plastic anti-slip foot cover



Telescopic design adjustable to any height between 2 feet and 5 feet



Triangle support more stable not easy to swing

1 B43787 - ONE HEAD

2 B43797 - TWO HEAD



IP65














A+



Ra>80



EARTH

	 VOLT	 LUMENS	 BEAM	 DRIVER	 CCT	 PF	 FINISH	 LxWxH	 HEIGHT	 LENGTH	 LIFE
10W	120/230V	800Lm	120°	Linear	3000/4000/6500K	0.9	White/Black	105x77x28mm	1.5m	1.5m	25,000H
20W	120/230V	1600Lm	120°	Linear	3000/4000/6500K	0.9	White/Black	135x98x35mm	1.5m	1.5m	25,000H
30W	120/230V	2400Lm	120°	Linear	3000/4000/6500K	0.9	White/Black	173x126x37mm	1.5m	1.5m	25,000H
50W	120/230V	4000Lm	120°	Linear	3000/4000/6500K	0.9	White/Black	173x126x45mm	1.5m	1.5m	25,000H

ROOMLUX® Outdoor & Industrial

my light. my choice

Portable LANTERN LIGHT



Bottom Hook



Top Handle



4 Modes Short Press



Daylight



Warm White




Neutral



Flashing

Stepless Dimming

 Long Press



B80300



IPX4



25,000H



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



CCT



LxWxH

1000Lm

ABS+PC

42x3014SMD+4x3030LED

4400mAh

8-10Hrs

WW-CW-NW-Strobe & 5 Sec. 5%-100% Dim.

15m

3000/4000/6500K

90x90x185mm

Portable LANTERN LIGHT



B80301



2000Lm

ABS+PC

50x3030SMD

3x2200mAh/4xD

8-10Hrs

WW-CW-NW-Strobe & 5 Sec. 5%-100% Dim.

15m

115x115x210mm



B80302



1500Lm

ABS+PC

21White SMD+ 4Warm SMD

4400mAh/3xD

8-10Hrs

CW-WW-CW+WW-Strobe 5 Sec. 5%-100% Dim.

15m

94x188mm



B80303



1000Lm

ABS+PC

42White SMD+ 4Warm SMD

4400mAh/3xD

8-10Hrs

CW-WW-CW+WW-Strobe 5 Sec. 5%-100% Dim.

15m

94x188mm



B80304



1500Lm

ABS+PC

21White SMD+ 4Warm SMD

4400mAh/3xD

8-10Hrs

CW-WW-CW+WW-Strobe

15m

100x95x190mm

Portable LANTERN LIGHT



B80305



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

150Lm

PS/PC 6xLED+1xF8 LED

3xAA

2-5Hrs

White-Flame

10m

85x134mm



B80306



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

250Lm

PS/PC 3xCOB+1 White LED

3xAA

2-5Hrs

Stretch on-Off

10m

82x120mm



B80307



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

180Lm

PS/PC 3xCOB

3xAA

2-5Hrs

Stretch on-Off

10m

85x120mm



B80308



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

150Lm

PS/PC 30xF5 LED

3xAA

2-5Hrs

Stretch on-Off

10m

85x120mm

Portable FLASHLIGHT



B83706



IPX4



25,000H



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



CCT



ØxH

10000Lm

Alu.+PC

1xCOB

2x26650(7.4V 5000mAh)

4Hrs

High-Low/Turbo

350m

3000/4000/6500K

59.5x280.5mm

ROOMLUX® Outdoor & Industrial

my light. my choice

Portable FLASHLIGHT



B83702



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

1000Lm

Alu.+PC

XML T6

1x18650

2-6Hrs

High-Med-Low-Flash-SOS

300m

44x159mm



B83705



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

300Lm

Alu.+PC

1xXML T6

1x18650

2-6Hrs

High-Med-Low-Flash-SOS

300m

35x144mm



B83709



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

300Lm

Alu.+PC

1xXML T6

3xAAA/1x18650

6Hrs

High-Med-Low-Flash-SOS

300m

40x138mm



B83711



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

1200Lm

Alu.+PC

1xSST40

2x26650(7.4V 10000mAh)

6Hrs

High-Med-Flash

350m

55x350mm

Portable FLASHLIGHT



B83700



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

1800Lm

Alu.+PC

XHP50

1x21700

4Hrs

100%-50%-30%-Flash-SOS

350m

35x170mm



B83704



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

800Lm

Alu.+PC

1xOSIAM P9

1x18650

4Hrs

100%-50%-30%-Flash-SOS

350m

35x165mm

2000Lm

Alu.+PC

1xCREE SHP50

1x21700

4Hrs

100%-50%-30%-Flash-SOS

350m

35x170mm



B83701



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

1000Lm

Alu.+PC

1xP50

3xAAA/1x18650

2-6Hrs

100%-50%-30%-Flash-SOS

300m

42x185mm



B83707



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

3000Lm

Alu.+PC

1xCREE XHP70

2x26650(7.4V 5000mAh)

8Hrs

High-Med-Low-Strobe-SOS

350m

60.5x279mm

Portable FLASHLIGHT



IPX4

25,000H

B83708

MATERIAL	BULB	BATTERY	RUNNING TIME	LIGHTING MODE	RANGE	CCT	ØxH
1000Lm Alu.+PC	1xSST40+F3LED	1x18650	4Hrs	High-Med-Low-Strobe-SOS Hold: Green/Red/Red Strobe	250m	3000-6500K/R/G	60.5x279mm

Portable FLASHLIGHT



B83710



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

100Lm

Alu.+PC

1xOSIAM+2x2835SMD

1x18650

1.5Hrs

High-Med-Low
Quick Press Twice Red-Red Strobe

100m

25x100mm



B83703



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

1000Lm

Alu.+PC

1xCREE XML2

1x18650

4Hrs

High-Med-Low-Flash-SOS

300m

23x110mm



B83712



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

150Lm

Alu.+ABS

1xCOB+SMD

600mAh

2Hrs

Bottom LED On-COB Half-COB Full
Fully Press Button UV LED On

150m

15x154mm



B83713



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



RANGE



ØxH

150Lm

Alu.+ABS

1xCOB+SMD

600mAh

2Hrs

Bottom LED On-COB Half-COB Full
Fully Press Button Laser Light On

150m

15x154mm

Portable HEADLAMP



B82300

IPX4 25,000H

MATERIAL	BULB	BATTERY	RUNNING TIME	LIGHTING MODE	ØxH
600Lm	ABS+PC	42x3014SMD+4x3030LED	1x18650	3-8Hrs	100%-30%-Strobe Motion Sensor
					320x32mm



B82301

IPX4 25,000H

MATERIAL	BULB	BATTERY	RUNNING TIME	LIGHTING MODE	ØxH
300Lm	ABS+PC	42x3014SMD+4x3030LED	1x1000mAh	3-8Hrs	100%-30%
					720x38mm



B82302

IPX4 25,000H

MATERIAL	BULB	BATTERY	RUNNING TIME	LIGHTING MODE	ØxH
600Lm	ABS+PC	42x3014SMD+4x3030LED	1x18650	3-8Hrs	Stretch on-Off
					870x26mm



B82303

IPX4 25,000H

MATERIAL	BULB	BATTERY	RUNNING TIME	LIGHTING MODE	ØxH
250Lm	ABS+PC	42x3014SMD+4x3030LED	1x800mAh	3-8Hrs	100%-30%
					620x38mm

Portable HEADLAMP



B82304

IPX4 25,000H



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



ØxH

180Lm

ABS+PC 42x3014SMD+4x3030LED

1x1200mAH

3-8Hrs

Main:100%-50%-30%
Side:On-Slow flash-Strobe

480x38mm



B82305

IPX4 25,000H



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



ØxH

150Lm

ABS+PC 42x3014SMD+4x3030LED

1x1200mAH

3-8Hrs 100%-50%-Red 100%-Red Flash 600x35mm



B82306

IPX4 25,000H



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



ØxH

600Lm

Alu.+ABS 1xOSRAM P9+2835 SMD

1x18650

2-5Hrs

Multi-modes Light

870x26mm



B82307

IPX4 25,000H



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



ØxH

1000Lm

Alu.+ABS

2xOSRAM P9

1x18650

2-5Hrs

Multi-modes Light

870x26mm

Portable EMERGENCY LIGHT



B80310



IPX4



25,000H



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



ØxH

30Lm

ABS+PC

12xYellow LED+6xWhite LED

9V 6LR61

10Hrs

On-Flash

85x53mm



B80311



IPX3



25,000H



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



ØxH

30Lm

ABS+TPE

24xYellow LED+3xWhite LED

1800mAH

10Hrs

Front Flash-Side Flash-
Front +Side Flash-White

100x22.5mm



B80312



IPX4



25,000H



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



ØxH

20Lm

TPR+PC

12xF5+4x2835SMD

3xAA

20Hrs

Cycle Flash

92x30x108mm



B80312



IPX4



25,000H



MATERIAL



BULB



BATTERY



RUNNING TIME



LIGHTING MODE



ØxH

20Lm

TPR+PC

12xF5+3x2835SMD

3xAAA

20Hrs

9 Functions

33x100mm



www.roomlux.com